

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



Safety 1st

Cord

Shortner

Helps keep
dangerous cords
out of the way

Safe

stores up to
feet of cord

venient

on todays
res-power
cords


6 mos & up



Card Short'ner

Card Short'ner

Only One Card Start™ is the perfect solution to managing electrical cards on jobsites. It's a patented and patented system that stores up to 400 cards to help prevent misreading. It's built with any device and is durable for long lasting use.



Instructions:

1. Hold Card over me with both hands so that Safety is secure.
2. Flip up.
3. To enjoy, place thumb on Safety, name and press (Figure 1).
4. Grab ends of card through slots on wood (Figure 2).
5. Snap cover in place.
6. Card remove and before cleaning wipe with a clean damp cloth.

NOTE: Double sided tape is included to secure card to frame. A wall for further safety, if desired. Clean area first with alcohol and let dry before allowing. 24 hrs to cure.

CAUTION: This product is only a deterrent. It is not a substitute for proper adult supervision. Discontinue use when a child is old enough to defeat it. Not for use with appliances 600 Watts or more, and not for use with extension cords exceeding more than one term. Excess heat may build up.

Almacénador de Cables

[illegible]

Se sumerge el Almazanador en calientes con agua caliente y se lava varias veces.

1. Para limpiar, coloque las pulseras sobre el fuego de Safety (Figura 1).

2. Limpie el cable y enlósalo alrededor de la bobina hasta que tenga el largo deseado (Figura 2).

3. Quite las extremidades del cable por las aberturas de la bobina (Figura 2).

4. Limpie y enlósate la tapa.

5. Limpie y enlósate el cable.


6. Mantenga limpio. Retire el cable antes de limpiar el Almazanador. Frotar con un paño limpio y seco.


NOTA: El producto incluye una cinta adhesiva por ambos lados para fijar el Almazanador a una superficie plana. Mantenga el producto en una superficie plana para evitar el desgarro de la cinta adhesiva. Mantenga el producto en una superficie plana para evitar el desgarro de la cinta adhesiva durante 24 horas.


PRECAUCIÓN: Este producto es únicamente decorativo. No reemplaza la protección adecuada de un edificio. Debe usarse este producto cuando el interior de un edificio ya ha sido protegido adecuadamente. No usar con superficies de 600 vatios y más, y no usar con superficies removibles. No usar con superficies de un artefacto. Esto puede causar un sobrecalentamiento que disminuya la vida de un artefacto. Esto puede causar un sobrecalentamiento excesivo. Esto puede causar un sobrecalentamiento excesivo.

[illegible]


0 52181 10114


































1 2

